



SUZUKI

FRONX

Kenya • 2026 Hagalu Buyer's Guide

Not

Officially
Disclosed
FUEL ECON
km/l

1462 cc

ENGINE

77 kW

POWER

170 mm

CLEARANCE

5 seats

SEATING

KES 3,250,000 – 3,850,000

Ex-Showroom Starting Price

<https://www.hagalu.com/kenya/suzuki/fronx/>

Independent Automotive Research for Africa

SUZUKI

Contents

01	Overview & Quick Facts	
02	Variant Pricing & On-Road Costs	
03	Pros, Cons & Buyer Summary	
04	Variant Comparison Matrix	
05	Full Specs — FRONX GLX 2WD 5D 1462p MT	
06	Full Specs — FRONX GL 2WD 5D 1462p 5MT	
07	Full Specs — FRONX GL 2WD 5D 1462p AT	
08	Full Specs — FRONX GLX 2WD 5D 1462p AT	
09	Links & Legal	

Source-backed

No rating inferred

4 Variants

4 Priced

01 Overview & Quick Facts

The FRONX gives Suzuki Kenya a small raised body with the footprint of a compact car and the visual confidence of a crossover. The local range includes GL and GLX grades with manual and automatic gearboxes, a 1,462 cc petrol engine, 170 mm clearance and five seats. It sits between a hatchback and a conventional small SUV in daily use. For FRONX GLX 2WD 5D 1462p MT, the local specification identifies engine 1.5-litre petrol, displacement 1462 cc, power 77 kW @ 6000 rpm, torque 138 Nm @ 4400 rpm, transmission 5-Speed Manual, drive layout Front-wheel drive, seating 5 seats, length 3995 mm, clearance 170 mm, fuel tank 37 litres. The Kenya listing places this suv in a petrol part of the Suzuki range. The available local derivative names are FRONX GLX 2WD 5D 1462p MT, FRONX GL 2WD 5D 1462p 5MT, FRONX GL 2WD 5D 1462p AT, FRONX GLX 2WD 5D 1462p AT. Those names matter because a gearbox, wheel package, drive layout or seating arrangement can change the way a vehicle works on the same road. Where the local...



Body Style	SUV
Launched	Not Officially Disclosed
Generation	Current Kenya-market listing; generation label is not published on the local page.
Fuel Types	Petrol
Colours	Ask Suzuki Kenya for current colour availability.
OEM Website	https://www.suzuki-kenya.com/en/range/suzuki-kenya/fronx

02 Variant Pricing & On-Road Costs

Ex-Showroom Starting Price	KES 3,250,000 – 3,850,000			4 Listed Variants
Variant	Fuel	Transmission	Trim	Ex-Showroom
FRONX GLX 2WD 5D 1462p MT	Petrol	Manual	High	KES 3,550,000
FRONX GL 2WD 5D 1462p 5MT	Petrol	Manual	Base	KES 3,250,000
FRONX GL 2WD 5D 1462p AT	Petrol	Automatic	Base	KES 3,550,000
FRONX GLX 2WD 5D 1462p AT	Petrol	Automatic	High	KES 3,850,000

Estimated On-Road Price — FRONX GLX 2WD 5D 1462p MT (Base Variant)

Nairobi	KES 3,735,000
Mombasa	KES 3,745,000
Kisumu	KES 3,750,000
Nakuru	KES 3,745,000

* Hagalu planning estimates include the stored registration, licensing, delivery and insurance assumptions; they are not official dealer quotes.

03 Pros, Cons & Buyer Summary

● STRENGTHS ✓ Official Kenya range listing ✓ Country-specific source trail ✓ Clear route-led buying decision ✓ Exact local derivative names where published ✓ Open source gaps are not disguised as facts	● CONSIDERATIONS ✗ Retail price requires a current local quotation ✗ Equipment can vary by derivative ✗ Some precision fields are not published locally ✗ Running cost depends on route and load ✗ Support terms should be confirmed before delivery
---	--

Buyer Summary

"FRONX is a style-led but practical small crossover when its compact footprint matters."

FRONX is a style-led but practical small crossover when its compact footprint matters. Choose GL or GLX and manual or automatic based on road use, equipment and tyre cost, not just exterior appeal. The decision is strongest when the exact FRONX derivative, local equipment, price and support package all match the owner's route. A different grade may be better value even when it carries fewer visual extras, while a larger vehicle may be wasteful if its capacity is rarely used. That is a practical conclusion rather than a universal ranking.

City Driving	The 3,995 mm length is friendly in parking, while the taller shape helps visibility around traffic. Automatic and manual FRONX grades should be driven in the owner's normal route. Check the front and rear sensor or camera equipment, wheel size and infotainment system on the actual vehicle because the trim names carry different expectations. The FRONX should be driven through a normal weekday rather than judged from a quiet dealership loop. Check visibility, access, parking, climate control, storage and the exact safety equipment fitted to the quoted suv. A short route should include the awkward turn, speed hump, ramp or loading point that normally exposes a vehicle's weak point. If it cannot be tested at the dealership, ask for a second drive or make the question part of the purchase record.
Highway	The 1.462-litre petrol engine and front-drive layout are suitable for regular highway travel with a small family. Use a safe merge and a climb to compare the transmissions, and check how the larger GLX wheels affect noise and ride. The 37-litre tank makes fuel planning simple, but actual economy depends on load and speed. Use the expected passengers and luggage when judging the FRONX on an open road. Engine response, gearbox behaviour, braking, seat support, tyre noise and fuel planning are linked to load and speed, so an empty vehicle can give a misleading impression. The most useful result is a route-specific decision: how often the vehicle will travel, where fuel or charging stops are available, and which service support is reachable when the trip is finished.
Off-Road	170 mm is useful for speed humps and graded access but remains below a serious 4x4 brief. The FRONX should be kept to maintained and carefully driven mixed roads. Its front-drive layout, tyres and low body should set the boundary when rain turns a track into soft mud. Published clearance or four-wheel-drive equipment should be read alongside tyres, wheel size, payload and driver skill. The FRONX cannot be made into a different vehicle by optimistic wording, and a wet road can expose limitations that a dry launch event hides. For occasional rough access, moderate speed and sensible line choice may be enough. For regular remote work, the buyer should budget for recovery equipment, tyre protection and a service plan that supports the route.

Best For

It suits buyers who want easy urban dimensions but prefer a higher roofline, more upright access and a crossover driving position. GL offers the value entry; GLX is for buyers who want more equipment and may accept larger wheels. A family should compare rear headroom, luggage space and tyre cost rather than buying on styling alone.

04 Variant Comparison Matrix

All 4 variants of the Suzuki FRONX side-by-side. Use this to spot the smallest differences quickly — fuel, power, gearbox and price all in one view.

SPEC	FRONX GLX 2WD 5D 1462p MT	FRONX GL 2WD 5D 1462p 5MT	FRONX GL 2WD 5D 1462p AT	FRONX GLX 2WD 5D 1462p AT
Price (ex-showroom)	KES 3,550,000	KES 3,250,000	KES 3,550,000	KES 3,850,000
Fuel Type	Petrol	Petrol	Petrol	Petrol
Transmission	5-Speed Manual	5-Speed Manual	Not Officially Disclosed	Not Officially Disclosed
Trim Level	High	Base	Base	High
Engine	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)
Max Power	75 kW (102 bhp)	77 kW (103 bhp)	77 kW (103 bhp)	75 kW (102 bhp)
Max Torque	136 Nm (101 lb-ft)	138 Nm (102 lb-ft)	138 Nm (102 lb-ft)	136 Nm (101 lb-ft)
Drivetrain	FWD	FWD	FWD	FWD
Fuel Economy	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed
Seating	5	5	5	5
Boot Space	308 L	308 L	308 L	308 L
Ground Clearance	170 mm	170 mm	170 mm	170 mm
Kerb Weight	1040 kg	1040 kg	1015 kg	1015 kg

→ [Compare these variants on hagalu.com](#) (published prices, on-road estimates, source-backed specifications and buyer guidance)

05 Suzuki FRONX — FRONX GLX 2WD 5D 1462p MT

KES 3,550,000

ENGINE 1462 cc	POWER 75 kW · 102 bhp	TORQUE 136 Nm · 101 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol 5-Speed Manual
----------------------	-----------------------------	---------------------------------	---	----------------------------------

High Trim · Petrol · Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Front-wheel drive
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Manual
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	155 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	308 l
Kerb Weight	1040 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	440 kg	Towing Capacity	1000 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	15.2 km/l
Highway Mileage	20.0 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ [See FRONX GLX 2WD 5D 1462p MT full specs and lifecycle details in Kenya](#)

[Compare with rivals →](#)

06 Suzuki FRONX — FRONX GL 2WD 5D 1462p5MT

KES 3,250,000

ENGINE 1462 cc	POWER 77 kW · 103 bhp	TORQUE 138 Nm · 102 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol 5-Speed Manual
----------------------	-----------------------------	---------------------------------	---	----------------------------------

Base Trim · Petrol · Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Front-wheel drive
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Manual
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	155 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	308 l
Kerb Weight	1040 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	470 kg	Towing Capacity	1000 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	15.2 km/l
Highway Mileage	20.0 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ [See FRONX GL 2WD 5D 1462p 5MT full specs and lifecycle details in Kenya](#)

[Compare with rivals →](#)

07 Suzuki FRONX — **FRONX GL 2WD 5D 1462p AT****KES 3,550,000**

ENGINE 1462 cc	POWER 77 kW · 103 bhp	TORQUE 138 Nm · 102 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol
-----------------------------	------------------------------------	--	--	-----------------------

Base Trim · Petrol · Automatic

[View live price & EMI →](#)**ENGINE & PERFORMANCE**

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Front-wheel drive
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Automatic
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	155 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	308 l
Kerb Weight	1015 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	465 kg	Towing Capacity	1000 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	14.5 km/l
Highway Mileage	19.6 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ [See FRONX GL 2WD 5D 1462p AT full specs and lifecycle details in Kenya](#)

[Compare with rivals →](#)

08 Suzuki FRONX — FRONX GLX 2WD 5D 1462p AT**KES 3,850,000**

ENGINE	POWER	TORQUE	ECONOMY	FUEL
1462 cc	75 kW · 102 bhp	136 Nm · 101 lb-ft	Not Officially Disclosed km/l	Petrol

High Trim · Petrol · Automatic

[View live price & EMI →](#)**ENGINE & PERFORMANCE**

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Front-wheel drive
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Automatic
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	155 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	308 l
Kerb Weight	1015 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	415 kg	Towing Capacity	1000 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	14.5 km/l
Highway Mileage	19.6 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ [See FRONX GLX 2WD 5D 1462p AT full specs and lifecycle details in Kenya](#)

[Compare with rivals →](#)

09 Explore More on Hagalu

Jump to each variant's price and specification record

→ [FRONX GLX 2WD 5D 1462p MT](#) — KES 3,550,000

→ [FRONX GL 2WD 5D 1462p 5MT](#) — KES 3,250,000

→ [FRONX GL 2WD 5D 1462p AT](#) — KES 3,550,000

→ [FRONX GLX 2WD 5D 1462p AT](#) — KES 3,850,000

Live Prices & On-Road Costs — Suzuki FRONX

→ Latest ex-showroom and city-wise on-road prices in Kenya.

→ Open

Side-by-Side Comparison

→ Compare Suzuki FRONX vs any rival model.

→ Open

Browse All Suzuki Models

→ Explore the full Suzuki lineup in Kenya.

→ Open

Buyer's Guides — Finance, Pricing & New Launches

→ In-depth SA guides: car finance, monthly EMI math, upcoming launches.

→ Open

Hagalu.com — Africa's Car Research Platform

→ Independent prices, specs and reviews for South Africa and beyond.

→ Open

This brochure was generated on 12 October 2026 by Hagalu Automotive Research. All prices shown are ex-showroom and subject to change without notice. On-road price estimates include typical registration, licence and insurance costs. Specifications are sourced from manufacturer data and may vary by market. Hagalu is an independent platform not affiliated with any automotive manufacturer.

[Terms of Use](#) · [Privacy Policy](#) · [Editorial Policy](#) · [Contact Hagalu](#)