



SUZUKI

Jimny 5 doors

Kenya • 2026 Hagalu Buyer's Guide

Not

Officially
Disclosed
km/l

1462 cc

ENGINE

75 kW

POWER

210 mm

CLEARANCE

4 seats

SEATING

KES 4,150,000 – 4,500,000

Ex-Showroom Starting Price

<https://www.hagalu.com/kenya/suzuki/jimny-5-doors/>

Independent Automotive Research for Africa

SUZUKI

Contents

01	Overview & Quick Facts	
02	Variant Pricing & On-Road Costs	
03	Pros, Cons & Buyer Summary	
04	Variant Comparison Matrix	
05	Full Specs — JIMNY GL 4WD 5D 1462p MT	
06	Full Specs — JIMNY GLX 4WD 5D 1462p AT	
07	Full Specs — JIMNY GLX 4WD 5D 1462p MT	
08	Links & Legal	

Source-backed

No rating inferred

3 Variants

3 Priced

01 Overview & Quick Facts

The five-door Jimny keeps the compact 4x4 character of the three-door model but makes rear access less awkward. Suzuki Kenya lists GL and GLX derivatives with manual and automatic options, a 1,462 cc petrol engine, 210 mm clearance and four seats. The extra doors improve usability without changing the specialist nature of the vehicle. For JIMNY GL 4WD 5D 1462p MT, the local specification identifies engine 1.5-litre petrol, displacement 1462 cc, transmission 5-Speed Manual, drive layout Part-time 4WD, seating 4 seats, length 3985 mm, clearance 210 mm, fuel tank 40 litres. The Kenya listing places this suv in a petrol part of the Suzuki range. The available local derivative names are JIMNY GL 4WD 5D 1462p MT, JIMNY GLX 4WD 5D 1462p AT, JIMNY GLX 4WD 5D 1462p MT. Those names matter because a gearbox, wheel package, drive layout or seating arrangement can change the way a vehicle works on the same road. Where the local page does not publish a precision number, the sensible buyer response is a written question to the authorised distributor, not a number borrowed from...



Body Style	SUV
Launched	Not Officially Disclosed
Generation	Current Kenya-market listing; generation label is not published on the local page.
Fuel Types	Petrol
Colours	Ask Suzuki Kenya for current colour availability.
OEM Website	https://www.suzuki-kenya.com/en/range/suzuki-kenya/jimny-5-doors

02 Variant Pricing & On-Road Costs

Ex-Showroom Starting Price	KES 4,150,000 – 4,500,000	3 Listed Variants
----------------------------	----------------------------------	-------------------

Variant	Fuel	Transmission	Trim	Ex-Showroom
JIMNY GL 4WD 5D 1462p MT	Petrol	Manual	Base	KES 4,150,000
JIMNY GLX 4WD 5D 1462p AT	Petrol	Automatic	High	KES 4,500,000
JIMNY GLX 4WD 5D 1462p MT	Petrol	Manual	High	KES 4,300,000

Estimated On-Road Price — JIMNY GL 4WD 5D 1462p MT (Base Variant)

Nairobi	KES 4,359,000
Mombasa	KES 4,369,000
Kisumu	KES 4,374,000
Nakuru	KES 4,369,000

* Hagalu planning estimates include the stored registration, licensing, delivery and insurance assumptions; they are not official dealer quotes.

03 Pros, Cons & Buyer Summary

● STRENGTHS ✓ Official Kenya range listing ✓ Country-specific source trail ✓ Clear route-led buying decision ✓ Exact local derivative names where published ✓ Open source gaps are not disguised as facts	● CONSIDERATIONS ✗ Retail price requires a current local quotation ✗ Equipment can vary by derivative ✗ Some precision fields are not published locally ✗ Running cost depends on route and load ✗ Support terms should be confirmed before delivery
---	--

Buyer Summary

"The five-door Jimny is the most usable version of a specialist compact 4x4, not a conventional family SUV."

The five-door Jimny is the most usable version of a specialist compact 4x4, not a conventional family SUV. Choose it when trail ability matters enough to accept the ride, space and noise compromises. The decision is strongest when the exact Jimny 5 doors derivative, local equipment, price and support package all match the owner's route. A different grade may be better value even when it carries fewer visual extras, while a larger vehicle may be wasteful if its capacity is rarely used. That is a practical conclusion rather than a universal ranking.

City Driving	The 3,985 mm body is easy to place, but the upright cabin and short 2,590 mm wheelbase give the Jimny a distinctive ride. Compare manual and automatic versions in traffic, inspect the rear access and test the GLX wheel and tyre combination on broken town roads. The extra doors are a practical gain, not a promise of a large cabin. The Jimny 5 doors should be driven through a normal weekday rather than judged from a quiet dealership loop. Check visibility, access, parking, climate control, storage and the exact safety equipment fitted to the quoted suv. A short route should include the awkward turn, speed hump, ramp or loading point that normally exposes a vehicle's weak point. If it cannot be tested at the dealership, ask for a second drive or make the question part of the purchase record.
Highway	The petrol engine can handle highway travel with patience. Use a climb, a merge and a loaded route to decide whether the automatic or manual suits the driver. Noise, ride and luggage space should be part of the decision because the Jimny's strength is not limousine comfort. Use the expected passengers and luggage when judging the Jimny 5 doors on an open road. Engine response, gearbox behaviour, braking, seat support, tyre noise and fuel planning are linked to load and speed, so an empty vehicle can give a misleading impression. The most useful result is a route-specific decision: how often the vehicle will travel, where fuel or charging stops are available, and which service support is reachable when the trip is finished.
Off-Road	The part-time 4x4 and 210 mm clearance are the reason to buy the Jimny. They help on rough trails when used correctly, but short body, narrow tyres and driver judgement still set the boundary. Use low range where appropriate, protect the sidewalls and carry recovery equipment for remote travel. Published clearance or four-wheel-drive equipment should be read alongside tyres, wheel size, payload and driver skill. The Jimny 5 doors cannot be made into a different vehicle by optimistic wording, and a wet road can expose limitations that a dry launch event hides. For occasional rough access, moderate speed and sensible line choice may be enough. For regular remote work, the buyer should budget for recovery equipment, tyre protection and a service plan that supports the route.

Best For

It suits an owner who genuinely wants trail access but carries people often enough to make rear doors worthwhile. Four seats still limit its family role, and the luggage area remains a compromise. Buyers wanting comfort, space and long-distance quiet should compare the Grand Vitara or Across before choosing the Jimny.

04 Variant Comparison Matrix

All 3 variants of the Suzuki Jimny 5 doors side-by-side. Use this to spot the smallest differences quickly — fuel, power, gearbox and price all in one view.

SPEC	JIMNY GL 4WD 5D 1462p MT	JIMNY GLX 4WD 5D 1462p AT	JIMNY GLX 4WD 5D 1462p MT
Price (ex-showroom)	KES 4,150,000	KES 4,500,000	KES 4,300,000
Fuel Type	Petrol	Petrol	Petrol
Transmission	5-Speed Manual	Not Officially Disclosed	5-Speed Manual
Trim Level	Base	High	High
Engine	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)
Max Power	75 kW (101 bhp)	75 kW (101 bhp)	75 kW (101 bhp)
Max Torque	130 Nm (96 lb-ft)	130 Nm (96 lb-ft)	130 Nm (96 lb-ft)
Drivetrain	4WD	4WD	4WD
Fuel Economy	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed
Seating	4	4	4
Boot Space	211 L	211 L	211 L
Ground Clearance	210 mm	210 mm	210 mm
Kerb Weight	1195 kg	1210 kg	1195 kg

→ [Compare these variants on hagalu.com](#) (published prices, on-road estimates, source-backed specifications and buyer guidance)

05 Suzuki Jimny 5 doors — JIMNY GL 4WD 5D
1462p MT

KES 4,150,000

ENGINE 1462 cc	POWER 75 kW · 101 bhp	TORQUE 130 Nm · 96 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol 5-Speed Manual
-----------------------------	------------------------------------	---------------------------------------	--	---

Base Trim · Petrol · Manual

[View live price & EMI →](#)

ENGINE & PERFORMANCE

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time 4WD
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Manual
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1725 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	1195 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	300 kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	12.8 km/l
Highway Mileage	16.9 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Manual	Keyless Entry	Not Officially Disclosed
Power Windows	Yes	Climate Control	Manual
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GL 4WD 5D 1462p MT full specs and lifecycle details in Kenya

Compare with rivals →

06 Suzuki Jimny 5 doors — JIMNY GLX 4WD 5D
1462p AT

KES 4,500,000

ENGINE 1462 cc	POWER 75 kW · 101 bhp	TORQUE 130 Nm · 96 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol
-----------------------------	------------------------------------	---------------------------------------	--	-----------------------

High Trim · Petrol · Automatic

[View live price & EMI →](#)

ENGINE & PERFORMANCE

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time 4WD
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Automatic
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1725 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	1210 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	300 kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	12.3 km/l
Highway Mileage	16.4 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Yes	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GLX 4WD 5D 1462p AT full specs and lifecycle details in Kenya

Compare with rivals →

07 Suzuki Jimny 5 doors — JIMNY GLX 4WD 5D
1462p MT

KES 4,300,000

ENGINE 1462 cc	POWER 75 kW · 101 bhp	TORQUE 130 Nm · 96 lb-ft	ECONOMY Not Officially Disclosed km/l	FUEL Petrol 5-Speed Manual
-----------------------------	------------------------------------	---------------------------------------	--	---

High Trim · Petrol · Manual

[View live price & EMI →](#)

ENGINE & PERFORMANCE

Engine	1.5-litre petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	multipoint injection	Compression Ratio	Not Officially Disclosed

TRANSMISSION & DRIVETRAIN

4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time 4WD
Gear Shift Type	Not Officially Disclosed	Gear Shift Indicator	Not Officially Disclosed
Clutch Type	Not Officially Disclosed	Transmission Type	Manual
Number of Gears	Not Officially Disclosed	Final Drive Ratio	Not Officially Disclosed
Low Range	Not Officially Disclosed	Axle Layout	Not Officially Disclosed

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1725 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	1195 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	300 kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	Not Officially Disclosed l	Fuel Tank Litres	Not Officially Disclosed
Claimed Mileage	Not Officially Disclosed km/l	City Mileage	12.8 km/l
Highway Mileage	16.9 km/l	Emission Standard	Not Officially Disclosed
AdBlue Tank Capacity	Not Officially Disclosed l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Officially Disclosed km	Range Real World Highway	Not Officially Disclosed km
Electric Consumption	Not Officially Disclosed	Combined Driving Range	Not Officially Disclosed

SAFETY

Knee Airbag	Not Officially Disclosed	EBD	Yes
-------------	--------------------------	-----	-----

Engine Immobiliser	Yes	Seatbelt Warning All Seats	Not Officially Disclosed
Engine Immobiliser	Not Officially Disclosed	Hill Hold	Not Officially Disclosed
Passenger Airbag	Yes	Airbags	6
Rear Cross Traffic Alert	Not Officially Disclosed	Front Parking Sensors	Not Officially Disclosed
Hill Descent Control	Not Officially Disclosed	Seatbelt Pretensioners	Not Officially Disclosed

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Yes	Climate Control	Automatic
Rain Sensing Wipers	Not Officially Disclosed	Electric Tailgate	Not Officially Disclosed
Sunroof	Not Officially Disclosed		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GLX 4WD 5D 1462p MT full specs and lifecycle details in Kenya

Compare with rivals →

08 Explore More on Hagalu

Jump to each variant's price and specification record

→ JIMNY GL 4WD 5D 1462p MT — KES 4,150,000

→ JIMNY GLX 4WD 5D 1462p AT — KES 4,500,000

→ JIMNY GLX 4WD 5D 1462p MT — KES 4,300,000

Live Prices & On-Road Costs — Suzuki Jimny 5 doors

→ Latest ex-showroom and city-wise on-road prices in Kenya.

→ Open

Side-by-Side Comparison

→ Compare Suzuki Jimny 5 doors vs any rival model.

→ Open

Browse All Suzuki Models

→ Explore the full Suzuki lineup in Kenya.

→ Open

Buyer's Guides — Finance, Pricing & New Launches

→ In-depth SA guides: car finance, monthly EMI math, upcoming launches.

→ Open

Hagalu.com — Africa's Car Research Platform

→ Independent prices, specs and reviews for South Africa and beyond.

→ Open

This brochure was generated on 12 October 2026 by Hagalu Automotive Research. All prices shown are ex-showroom and subject to change without notice. On-road price estimates include typical registration, licence and insurance costs. Specifications are sourced from manufacturer data and may vary by market. Hagalu is an independent platform not affiliated with any automotive manufacturer.

[Terms of Use](#) · [Privacy Policy](#) · [Editorial Policy](#) · [Contact Hagalu](#)