



ISUZU

F-Series

Uganda • 2026 Hagalu Buyer's Guide

8226 cc

ENGINE

129 kW

POWER

195 mm

CLEARANCE

4.5 km/l

FUEL ECON

2 seats

SEATING

UGX 285,000,000 – 470,000,000

Ex-Showroom Starting Price

<https://www.hagalu.com/uganda/isuzu/f-series/>

Independent Automotive Research for Africa

Contents

01	Overview & Quick Facts	
02	Variant Pricing & On-Road Costs	
03	Pros, Cons & Buyer Summary	
04	Variant Comparison Matrix	
05	Full Specs — FRR 33LR 4x2 Cab Chassis 6MT	
06	Full Specs — FSR 33H 4x2 Cab Chassis 6MT	
07	Full Specs — FTS 33F 4x4 Cab Chassis 5MT	
08	Full Specs — FTS 33H 4x4 Cab Chassis 5MT	
09	Full Specs — FVR 23M 4x2 Cab Chassis 6MT	
10	Full Specs — FVX 23S 6x2 Cab Chassis 6MT	
11	Full Specs — FVZ 23S 6x4 Cab Chassis 9MT	
12	Links & Legal	

Source-backed	No rating inferred	7 Variants	7 Priced
---------------	--------------------	------------	----------

01 Overview & Quick Facts

F-Series is not one truck with a choice of paint. It is a group of chassis intended for different commercial jobs, and the differences can be fundamental: two or three axles, one or more driven axles, different wheelbases and different transmissions. A delivery company, a construction contractor and a business fitting specialist equipment should not start with the same assumed specification. The brochure linked by MAC Uganda covers FRR, FSR, FTS, FVR, FVX and FVZ entries. The reviewed FRR 33LR and FSR 33H are 4x2 configurations. FTS is the 4x4 branch, with 33F and 33H wheelbases shown in the technical table. FVR 23M is another 4x2 chassis, while FVX 23S uses a 6x2 layout and FVZ 23S a 6x4 layout. In those labels, the second number describes driven wheel positions, not the number of tyres fitted. An extra axle does not automatically mean the same traction arrangement. Engine families also change. The FRR and FSR/FTS entries use 8,226 cc six-cylinder diesels, with published outputs of 129 kW for FRR and 147 kW for FSR/FTS. The reviewed FVR, FVX and FVZ...



Body Style	Truck
Generation	MAC Uganda currently links a September 2017 Isuzu East Africa F-Series brochure. Exact current build, homologated ratings and body specification must be confirmed on the local quotation.
Fuel Types	Diesel
OEM Website	https://macuganda.com/isuzu/vehicles/medium-duty-trucks/

02 Variant Pricing & On-Road Costs

Ex-Showroom Starting Price	UGX 285,000,000 – 470,000,000	7 Listed Variants
----------------------------	--------------------------------------	-------------------

Variant	Fuel	Transmission	Trim	Ex-Showroom
FRR 33LR 4x2 Cab Chassis 6MT	Diesel	6-Speed Manual	Frr 33Lr	UGX 285,000,000
FSR 33H 4x2 Cab Chassis 6MT	Diesel	6-Speed Manual	Fsr 33H	UGX 315,000,000
FTS 33F 4x4 Cab Chassis 5MT	Diesel	5-Speed Manual	Fts 33F	UGX 350,000,000
FTS 33H 4x4 Cab Chassis 5MT	Diesel	5-Speed Manual	Fts 33H	UGX 365,000,000
FVR 23M 4x2 Cab Chassis 6MT	Diesel	6-Speed Manual	Fvr 23M	UGX 390,000,000
FVX 23S 6x2 Cab Chassis 6MT	Diesel	6-Speed Manual	Fvx 23S	UGX 430,000,000
FVZ 23S 6x4 Cab Chassis 9MT	Diesel	9-Speed Manual	Fvz 23S	UGX 470,000,000

03 Pros, Cons & Buyer Summary

● STRENGTHS ✓ The catalogue separates several commercial chassis and axle configurations. ✓ FTS provides a specifically identified four-wheel-drive branch. ✓ Multiple wheelbases support different body-planning discussions. ✓ Published engine codes help distinguish larger-chassis powertrains. ✓ Both two-axle and three-axle configurations can be compared. ✓ A chassis-first approach allows a body to be specified around the operating task.	● CONSIDERATIONS ✗ The locally linked technical brochure is older than a current purchase quotation. ✗ Some gross-weight statements conflict within that brochure. ✗ Finished payload depends on the fitted body and equipment. ✗ Larger bodies and overhangs can complicate loading-area access. ✗ Warranty terms need confirmation for the exact chassis and conversion. ✗ A bare-chassis price does not represent the full delivered operating vehicle.
--	---

Buyer Summary

"A configuration-led purchase: select the chassis with the bodybuilder and operator before comparing final prices."

F-Series can address commercial tasks that a smaller truck cannot, but it rewards a precise buying brief. The family includes substantial differences in axle layout, wheelbase, engine and gearbox. Those differences should remain visible in a comparison instead of being flattened into one generic payload or fuel figure. The current local quotation is especially important because the linked brochure is older and contains a few conflicting ratings. A well-documented chassis-and-body proposal, supported by appropriate operating and maintenance arrangements, is a more useful measure of value than the cheapest bare-chassis price.

City Driving	A larger truck's urban suitability is decided at the customer's gate as much as on the main road. Measure the access width, height, turning space and loading position for the finished vehicle. Rear body overhang and tail-lift clearance can matter more than cab width. Include the driver in a route trial: repeated reversing, visibility around pedestrians and safe entry to the cab are working conditions, not minor conveniences.
Highway	For sustained inter-town work, agree the intended operating mass and body dimensions before comparing performance or fuel costs. A tall body changes aerodynamic demand; concentrated cargo changes axle loading. The different F-Series engines and gearboxes should therefore be evaluated as part of a complete vehicle. Ask about the maintenance schedule for the actual duty, tyre specification and availability of service support along the route. The largest engine does not necessarily produce the lowest cost per delivery.
Off-Road	FTS is the four-wheel-drive branch in the reviewed brochure, whereas the road-going 4x2 and 6x2 layouts have different traction capabilities. A 6x4 also differs from a 6x2 despite their similar overall appearance. None of those labels certifies a truck for every worksite. The body's centre of gravity, load restraint, ground conditions and safe recovery arrangements need specialist consideration. Have the supplier assess the intended access rather than choosing solely from a photograph of a truck on dirt.

Best For

F-Series is relevant to an operator whose load or specialist equipment has outgrown a light delivery truck. The buying team should include the people responsible for the route, body design, loading, maintenance and operating budget, not only the person negotiating the purchase price.

04 Variant Comparison Matrix

All 7 variants of the Isuzu F-Series side-by-side. Use this to spot the smallest differences quickly — fuel, power, gearbox and price all in one view.

SPEC	FRR 33LR 4x2 Cab Chassis 6MT	FSR 33H 4x2 Cab Chassis 6MT	FTS 33F 4x4 Cab Chassis 5MT	FTS 33H 4x4 Cab Chassis 5MT
Price (ex-showroom)	UGX 285,000,000	UGX 315,000,000	UGX 350,000,000	UGX 365,000,000
Fuel Type	Diesel	Diesel	Diesel	Diesel
Transmission	6-Speed Manual	6-Speed Manual	5-Speed Manual	5-Speed Manual
Trim Level	Frr 33Lr	Fsr 33H	Fts 33F	Fts 33H
Engine	8226 cc (8.2L)	8226 cc (8.2L)	8226 cc (8.2L)	8226 cc (8.2L)
Max Power	129 kW (173 bhp)	147 kW (197 bhp)	147 kW (197 bhp)	147 kW (197 bhp)
Max Torque	461 Nm (340 lb-ft)	500 Nm (369 lb-ft)	500 Nm (369 lb-ft)	500 Nm (369 lb-ft)
Drivetrain	RWD	RWD	4WD	4WD
Fuel Economy	4.5 km/l	4.5 km/l	4.5 km/l	4.5 km/l
Seating	2	3	2	2
Boot Space	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Ground Clearance	195 mm	250 mm	240 mm	240 mm
Kerb Weight	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed

Continued — Variants 5–7

SPEC	FVR 23M 4x2 Cab Chassis 6MT	FVX 23S 6x2 Cab Chassis 6MT	FVZ 23S 6x4 Cab Chassis 9MT
Price (ex-showroom)	UGX 390,000,000	UGX 430,000,000	UGX 470,000,000
Fuel Type	Diesel	Diesel	Diesel
Transmission	6-Speed Manual	6-Speed Manual	9-Speed Manual
Trim Level	Fvr 23M	Fvx 23S	Fvz 23S
Engine	9839 cc (9.8L)	9839 cc (9.8L)	9839 cc (9.8L)
Max Power	177 kW (237 bhp)	177 kW (237 bhp)	177 kW (237 bhp)
Max Torque	725 Nm (535 lb-ft)	725 Nm (535 lb-ft)	725 Nm (535 lb-ft)
Drivetrain	RWD	RWD	RWD
Fuel Economy	4.5 km/l	4.5 km/l	4.5 km/l
Seating	2	2	2
Boot Space	Not Applicable	Not Applicable	Not Applicable
Ground Clearance	240 mm	265 mm	265 mm
Kerb Weight	Not Officially Disclosed	Not Officially Disclosed	Not Officially Disclosed

→ **Compare these variants on hagalu.com** (published prices, on-road estimates, source-backed specifications and buyer guidance)

05 Isuzu F-Series — FRR 33LR 4x2 Cab Chassis 6MT

UGX 285,000,000

ENGINE	POWER	TORQUE	ECONOMY	FUEL
8226 cc	129 kW · 173 bhp	461 Nm · 340 lb-ft	4.5 km/l	Diesel 6-Speed Manual

Frr 33Lr Trim · Diesel · 6-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	8226 cc inline-six direct-injection diesel	Engine Code	6HH1-N
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	8226 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Applicable	4WD Hi Range	Not Applicable
4WD Engagement	Not Applicable	Drivetrain	Rear-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	4x2	Gearbox	6-Speed Manual

DIMENSIONS

Length	8170 mm	Width	2200 mm
Height	2550 mm	Wheelbase	4850 mm
Ground Clearance (Default)	195 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	200 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	9900 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	200 l	Fuel Tank Litres	200
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FRR 33LR 4x2 Cab Chassis 6MT full specs and lifecycle details in Uganda

Compare with rivals →

06 Isuzu F-Series — FSR 33H 4x2 Cab Chassis 6MT

UGX 315,000,000

ENGINE 8226 cc	POWER 147 kW · 197 bhp	TORQUE 500 Nm · 369 lb-ft	ECONOMY 4.5 km/l	FUEL Diesel 6-Speed Manual
----------------------	------------------------------	---------------------------------	------------------------	----------------------------------

Fsr 33H Trim · Diesel · 6-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	8226 cc inline-six direct-injection diesel	Engine Code	6HH1-S
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	8226 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Applicable	4WD Hi Range	Not Applicable
4WD Engagement	Not Applicable	Drivetrain	Rear-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	4x2	Gearbox	6-Speed Manual

DIMENSIONS

Length	7420 mm	Width	2400 mm
Height	2570 mm	Wheelbase	4250 mm
Ground Clearance (Default)	250 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	200 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	13500 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	200 l	Fuel Tank Litres	200
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FSR 33H 4x2 Cab Chassis 6MT full specs and lifecycle details in Uganda

Compare with rivals →

07 Isuzu F-Series — FTS 33F 4x4 Cab Chassis 5MT

UGX 350,000,000

ENGINE 8226 cc	POWER 147 kW · 197 bhp	TORQUE 500 Nm · 369 lb-ft	ECONOMY 4.5 km/l	FUEL Diesel 5-Speed Manual
-----------------------------	-------------------------------------	--	-------------------------------	---

Fts 33F Trim · Diesel · 5-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	8226 cc inline-six direct-injection diesel	Engine Code	6HH1-S
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	8226 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Yes
4WD Lo Range	Yes	4WD Hi Range	Yes
4WD Engagement	Selectable four-wheel drive	Drivetrain	Four-wheel drive
Transfer Case	High and low range	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	4x4	Gearbox	5-Speed Manual

DIMENSIONS

Length	6490 mm	Width	2400 mm
Height	2780 mm	Wheelbase	3620 mm
Ground Clearance (Default)	240 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	200 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	13000 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	200 l	Fuel Tank Litres	200
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
-----	-----	--------------------	---------------

Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FTS 33F 4x4 Cab Chassis 5MT full specs and lifecycle details in Uganda

Compare with rivals →

08 Isuzu F-Series — FTS 33H 4x4 Cab Chassis 5MT

UGX 365,000,000

ENGINE	POWER	TORQUE	ECONOMY	FUEL
8226	147	500	4.5	Diesel
cc	kW · 197 bhp	Nm · 369 lb-ft	km/l	5-Speed Manual

Fts 33H Trim · Diesel · 5-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	8226 cc inline-six direct-injection diesel	Engine Code	6HH1-S
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	8226 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Yes
4WD Lo Range	Yes	4WD Hi Range	Yes
4WD Engagement	Selectable four-wheel drive	Drivetrain	Four-wheel drive
Transfer Case	High and low range	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	4x4	Gearbox	5-Speed Manual

DIMENSIONS

Length	7420 mm	Width	2400 mm
Height	2780 mm	Wheelbase	4250 mm
Ground Clearance (Default)	240 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	200 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	13000 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	200 l	Fuel Tank Litres	200
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
-----	-----	--------------------	---------------

Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FTS 33H 4x4 Cab Chassis 5MT full specs and lifecycle details in Uganda

Compare with rivals →

09 Isuzu F-Series — FVR 23M 4x2 Cab Chassis 6MT

UGX 390,000,000

ENGINE	POWER	TORQUE	ECONOMY	FUEL
9839 cc	177 kW · 237 bhp	725 Nm · 535 lb-ft	4.5 km/l	Diesel 6-Speed Manual

Fvr 23M Trim · Diesel · 6-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	9839 cc inline-six direct-injection diesel	Engine Code	6SD1
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	9839 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Applicable	4WD Hi Range	Not Applicable
4WD Engagement	Not Applicable	Drivetrain	Rear-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	4x2	Gearbox	6-Speed Manual

DIMENSIONS

Length	8520 mm	Width	2400 mm
Height	2700 mm	Wheelbase	5050 mm
Ground Clearance (Default)	240 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	200 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	15000 kg
Payload Capacity	9000 kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	200 l	Fuel Tank Litres	200
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FVR 23M 4x2 Cab Chassis 6MT full specs and lifecycle details in Uganda

Compare with rivals →

10 Isuzu F-Series — **FVX 23S 6x2 Cab Chassis 6MT**

UGX 430,000,000

ENGINE 9839 cc	POWER 177 kW · 237 bhp	TORQUE 725 Nm · 535 lb-ft	ECONOMY 4.5 km/l	FUEL Diesel 6-Speed Manual
-----------------------------	-------------------------------------	--	-------------------------------	---

Fvx 23S Trim · Diesel · 6-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	9839 cc inline-six direct-injection diesel	Engine Code	6SD1
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	9839 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Available	4WD Hi Range	Not Available
4WD Engagement	Not Applicable	Drivetrain	Rear-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	6x2	Gearbox	6-Speed Manual

DIMENSIONS

Length	9745 mm	Width	2400 mm
Height	2670 mm	Wheelbase	6350 mm
Ground Clearance (Default)	265 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	400 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	15000 kg
Payload Capacity	9000 kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	400 l	Fuel Tank Litres	400
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
-----	-----	--------------------	---------------

Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FVX 23S 6x2 Cab Chassis 6MT full specs and lifecycle details in Uganda

Compare with rivals →

11 Isuzu F-Series — **FVZ 23S 6x4 Cab Chassis 9MT**

UGX 470,000,000

ENGINE 9839 cc	POWER 177 kW · 237 bhp	TORQUE 725 Nm · 535 lb-ft	ECONOMY 4.5 km/l	FUEL Diesel 9-Speed Manual
-----------------------------	-------------------------------------	--	-------------------------------	---

Fvz 23S Trim · Diesel · 9-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	9839 cc inline-six direct-injection diesel	Engine Code	6SD1
Fuel Type	Diesel	Hybrid System	Not Applicable
Engine Displacement	9839 cc	Cylinders	6
Cylinder Layout	Inline	Valves	Not Officially Disclosed
Valves per Cylinder	Not Officially Disclosed	Aspiration	Turbocharged
Fuel System	Direct Injection	Compression Ratio	16.3:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Available	4WD Hi Range	Not Available
4WD Engagement	Not Applicable	Drivetrain	Rear-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Manual
Gear Shift Indicator	Yes	LSD Available	Not Available
Drivetrain Layout	6x4	Gearbox	9-Speed Manual

DIMENSIONS

Length	9745 mm	Width	2400 mm
Height	1790 mm	Wheelbase	6350 mm
Ground Clearance (Default)	265 mm	Ground Clearance (With Full Seating Load)	195 mm
Fuel Tank Capacity	400 l	Boot/Cargo Space	Not Applicable l
Kerb Weight	Not Officially Disclosed kg	Gross Vehicle Weight (GVW)	22000 kg
Payload Capacity	9000 kg	Towing Capacity	3500 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	400 l	Fuel Tank Litres	400
Claimed Mileage	4.5 km/l	City Mileage	4.0 km/l
Highway Mileage	5.5 km/l	Emission Standard	Euro 1
AdBlue Tank Capacity	18 l	Auto Start Stop	Not Available
Range Real World Mixed	720 km	Range Real World Highway	850 km
Electric Consumption	Not Applicable	Combined Driving Range	720 km estimated mixed range

SAFETY

EBD	Yes	Engine Immobiliser	Not Available
-----	-----	--------------------	---------------

Seatbelt Warning All Seats	Front seats	Front Parking Sensors	Not Available
Hill Hold	Not Available	Passenger Airbag	Not Available
Knee Airbag	Driver	Rear Cross Traffic Alert	Not Available
Hill Start Assist	Not Available	Traction Control	Not Available
Seatbelt Pretensioners	Not Available	Seatbelt Reminder	Front seats

COMFORT & CONVENIENCE

Wireless Charging	Not Available	Push Button Start	Not Available
AC Type	Manual	Keyless Entry	Not Available
Power Windows	Front	Climate Control	Manual air conditioning
Rain Sensing Wipers	Not Available	Electric Tailgate	Not Applicable
Sunroof	Not Available		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FVZ 23S 6x4 Cab Chassis 9MT full specs and lifecycle details in Uganda

Compare with rivals →

12 Explore More on Hagalu

Jump to each variant's price and specification record

→ FRR 33LR 4x2 Cab Chassis 6MT — UGX 285,000,000
→ FSR 33H 4x2 Cab Chassis 6MT — UGX 315,000,000
→ FTS 33F 4x4 Cab Chassis 5MT — UGX 350,000,000
→ FTS 33H 4x4 Cab Chassis 5MT — UGX 365,000,000
→ FVR 23M 4x2 Cab Chassis 6MT — UGX 390,000,000
→ FVX 23S 6x2 Cab Chassis 6MT — UGX 430,000,000
→ FVZ 23S 6x4 Cab Chassis 9MT — UGX 470,000,000

→ Live Prices & On-Road Costs — Isuzu F-Series Latest ex-showroom and city-wise on-road prices in Uganda.	→ Open
→ Side-by-Side Comparison Compare Isuzu F-Series vs any rival model.	→ Open
→ Browse All Isuzu Models Explore the full Isuzu lineup in Uganda.	→ Open
→ Buyer's Guides — Finance, Pricing & New Launches In-depth SA guides: car finance, monthly EMI math, upcoming launches.	→ Open
→ Hagalu.com — Africa's Car Research Platform Independent prices, specs and reviews for South Africa and beyond.	→ Open

This brochure was generated on 12 October 2026 by Hagalu Automotive Research. All prices shown are ex-showroom and subject to change without notice. On-road price estimates include typical registration, licence and insurance costs. Specifications are sourced from manufacturer data and may vary by market. Hagalu is an independent platform not affiliated with any automotive manufacturer.

[Terms of Use](#) · [Privacy Policy](#) · [Editorial Policy](#) · [Contact Hagalu](#)