



SUZUKI

Fronx

Uganda • 2026 Hagalu Buyer's Guide

1462 cc

ENGINE

76 kW

POWER

170 mm

CLEARANCE

17.8 km/l

FUEL ECON

5 seats

SEATING

UGX 92,000,000 – 100,000,000

Ex-Showroom Starting Price

<https://www.hagalu.com/uganda/suzuki/fronx/>

Independent Automotive Research for Africa

Contents

01	Overview & Quick Facts	
02	Variant Pricing & On-Road Costs	
03	Pros, Cons & Buyer Summary	
04	Variant Comparison Matrix	
05	Full Specs — FRONX GLX 2WD 5D 1462p MT	
06	Full Specs — FRONX GL 2WD 5D 1462p 5MT	
07	Full Specs — FRONX GL 2WD 5D 1462p AT	
08	Full Specs — FRONX GLX 2WD 5D 1462p AT	
09	Links & Legal	

Source-backed	No rating inferred	4 Variants	4 Priced
---------------	--------------------	------------	----------

01 Overview & Quick Facts

Fronx is for a buyer who likes the size of a small car but wants a different shape and seating experience from a conventional hatchback. Its body is just under four metres long, so it belongs on a practical shortlist alongside compact cars as well as small SUVs. The crossover appearance is part of its appeal; whether it is easier to live with depends on the driver's view, the passengers and the luggage normally carried. Suzuki Uganda lists four derivatives: GL manual, GL automatic, GLX manual and GLX automatic. All have a 1,462 cc petrol engine and five seats. This is not the turbocharged Fronx configuration described in some overseas reviews. The local tables also publish slightly different engine outputs by grade: 77 kW and 138 Nm for GL, and 75.8 kW and 136.8 Nm for GLX. A GLX badge therefore does not mean more engine power. The equipment difference is easier to see. The local grade sheet gives GL a seven-inch touchscreen and rear camera, while GLX has a nine-inch screen and a panoramic-view camera system. Rear parking sensors,...



Body Style	SUV
Generation	Uganda Fronx 1.5-litre petrol range with GL and GLX manual/automatic derivatives. Overseas turbo and hybrid specifications are not substituted.
Fuel Types	Petrol
OEM Website	https://www.suzuki.ug/en/range/suzuki-uganda/FRONX

02 Variant Pricing & On-Road Costs

Ex-Showroom Starting Price	UGX 92,000,000 – 100,000,000			4 Listed Variants
Variant	Fuel	Transmission	Trim	Ex-Showroom
FRONX GLX 2WD 5D 1462p MT	Petrol	5-Speed Manual	Glx	UGX 97,000,000
FRONX GL 2WD 5D 1462p 5MT	Petrol	5-Speed Manual	Gl	UGX 92,000,000
FRONX GL 2WD 5D 1462p AT	Petrol	4-Speed Automatic	Gl	UGX 95,000,000
FRONX GLX 2WD 5D 1462p AT	Petrol	4-Speed Automatic	Glx	UGX 100,000,000

Estimated On-Road Price — FRONX GLX 2WD 5D 1462p MT (Base Variant)

Kampala	UGX 101,880,000
Jinja	UGX 102,030,000
Mbarara	UGX 102,180,000
Gulu	UGX 102,380,000

* Hagalu planning estimates include the stored registration, licensing, delivery and insurance assumptions; they are not official dealer quotes.

03 Pros, Cons & Buyer Summary

● STRENGTHS ✓ Four locally named grade and transmission combinations. ✓ Compact 3,995 mm body with five doors and five seats. ✓ Automatic air conditioning and rear sensors are documented across the local range. ✓ Clear camera and screen differences between GL and GLX. ✓ GLX adds useful viewing and display features for interested buyers.	● CONSIDERATIONS ✗ Compact rear seating needs checking for regular adult passengers. ✗ GLX is not a higher-output engine choice. ✗ Two-wheel-drive crossover role does not replace a dedicated off-roader. ✗ Luggage suitability depends on the actual items carried. ✗ Overseas turbo or hybrid figures do not describe this local petrol range.
--	---

Buyer Summary

"A compact crossover with a clear GL-to-GLX equipment step, best chosen around real daily use."

Fronx offers a useful range of choices without changing its basic compact-car role. Buyers can separate the gearbox decision from the equipment decision, then judge whether GLX's screen and camera additions justify the quoted difference. GL already has several daily-use features documented locally, so it deserves a proper comparison rather than dismissal as the lower badge. The final test is physical: can the passengers sit comfortably, can the usual luggage fit, and does the driver like using the car? Those answers matter more than the crossover label.

City Driving	Use a test drive to compare the view from the driver's seat with the view through the cameras. Check the mirrors, rear corners and the space needed to open the doors in a normal parking bay. The manual and automatic options should be assessed in slow traffic as well as on an open road. For repeated short journeys, comfortable controls and easy passenger access can matter more than the most prominent styling feature.
Highway	A longer drive should include a check of seat support, rear-passenger space and the luggage arrangement with everyone aboard. Leave realistic acceleration margins when joining traffic or passing another vehicle; the GLX equipment grade is not an engine-performance upgrade. Compare fuel figures only when they describe the same engine, transmission and test basis. This review does not supply a measured Uganda consumption result or borrow an economy claim from an overseas turbocharged Fronx.
Off-Road	The crossover body does not give Fronx the low-range equipment of a dedicated off-roader. Its 170 mm clearance helps describe the car, but the condition of a gravel approach, the load and the shape of a ramp still determine whether it is suitable. Avoid choosing it for difficult routes solely because it is grouped with SUVs. If steep, loose or deeply rutted access is routine, compare a vehicle designed around that requirement.

Best For

Fronx suits a buyer comparing compact hatchbacks and small crossovers who wants five-door practicality without moving to a large body. GL is worth examining for its documented everyday equipment, while GLX is relevant if the additional camera views and display features will be used regularly. Regular rear passengers and bulky luggage should help decide whether the compact format is sufficient.

04 Variant Comparison Matrix

All 4 variants of the Suzuki Fronx side-by-side. Use this to spot the smallest differences quickly — fuel, power, gearbox and price all in one view.

SPEC	FRONX GLX 2WD 5D 1462p MT	FRONX GL 2WD 5D 1462p 5MT	FRONX GL 2WD 5D 1462p AT	FRONX GLX 2WD 5D 1462p AT
Price (ex-showroom)	UGX 97,000,000	UGX 92,000,000	UGX 95,000,000	UGX 100,000,000
Fuel Type	Petrol	Petrol	Petrol	Petrol
Transmission	5-Speed Manual	5-Speed Manual	4-Speed Automatic	4-Speed Automatic
Trim Level	Glx	Gl	Gl	Glx
Engine	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)
Max Power	75 kW (102 bhp)	77 kW (103 bhp)	77 kW (103 bhp)	75 kW (102 bhp)
Max Torque	136 Nm (101 lb-ft)	138 Nm (102 lb-ft)	138 Nm (102 lb-ft)	136 Nm (101 lb-ft)
Drivetrain	FWD	FWD	FWD	FWD
Fuel Economy	17.8 km/l	17.8 km/l	17.8 km/l	17.8 km/l
Seating	5	5	5	5
Boot Space	304 L	304 L	304 L	304 L
Ground Clearance	170 mm	170 mm	170 mm	170 mm
Kerb Weight	1040 kg	1010 kg	1015 kg	1065 kg

→ [Compare these variants on hagalu.com](#) (published prices, on-road estimates, source-backed specifications and buyer guidance)

05 Suzuki Fronx — FRONX GLX 2WD 5D 1462p MT

UGX 97,000,000

ENGINE 1462 cc	POWER 75 kW · 102 bhp	TORQUE 136 Nm · 101 lb-ft	ECONOMY 17.8 km/l	FUEL Petrol 5-Speed Manual
----------------------	-----------------------------	---------------------------------	-------------------------	----------------------------------

Glx Trim · Petrol · 5-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	Suzuki petrol engine	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	12.0:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Officially Disclosed
4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Not Officially Disclosed
Transfer Case	Not Officially Disclosed	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Not Officially Disclosed	Gearbox	5-Speed Manual

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	304 l
Kerb Weight	1040 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	600 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	37 l	Fuel Tank Litres	37
Claimed Mileage	17.8 km/l	City Mileage	15.5 km/l
Highway Mileage	20 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Not Officially Disclosed	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Not Officially Disclosed	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Yes	Push Button Start	Yes
AC Type	Automatic	Keyless Entry	Yes
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FRONX GLX 2WD 5D 1462p MT full specs and lifecycle details in Uganda

Compare with rivals →

06 Suzuki Fronx — FRONX GL 2WD 5D 1462p 5MT

UGX 92,000,000

ENGINE 1462 cc	POWER 77 kW · 103 bhp	TORQUE 138 Nm · 102 lb-ft	ECONOMY 17.8 km/l	FUEL Petrol 5-Speed Manual
----------------------	-----------------------------	---------------------------------	-------------------------	----------------------------------

GI Trim · Petrol · 5-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre K15B four-cylinder petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	10.5:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Applicable
4WD Lo Range	Not Applicable	4WD Hi Range	Not Applicable
4WD Engagement	Not Applicable	Drivetrain	Front-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Front-wheel drive	Gearbox	5-Speed Manual

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	304 l
Kerb Weight	1010 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	600 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	37 l	Fuel Tank Litres	37
Claimed Mileage	17.8 km/l	City Mileage	15.5 km/l
Highway Mileage	20 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Not Officially Disclosed	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Not Officially Disclosed	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	No
AC Type	Automatic	Keyless Entry	Yes
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FRONX GL 2WD 5D 1462p 5MT full specs and lifecycle details in Uganda

Compare with rivals →

07 Suzuki Fronx — FRONX GL 2WD 5D 1462p AT

UGX 95,000,000

ENGINE 1462 cc	POWER 77 kW · 103 bhp	TORQUE 138 Nm · 102 lb-ft	ECONOMY 17.8 km/l	FUEL Petrol 4-Speed Automatic
-----------------------------	------------------------------------	--	--------------------------------	--

GI Trim · Petrol · 4-Speed Automatic

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre K15B four-cylinder petrol	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	10.5:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Officially Disclosed	4WD Selector	Not Applicable
4WD Lo Range	Not Applicable	4WD Hi Range	Not Applicable
4WD Engagement	Not Applicable	Drivetrain	Front-wheel drive
Transfer Case	Not Applicable	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Front-wheel drive	Gearbox	4-Speed Automatic

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	304 l
Kerb Weight	1015 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	600 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	37 l	Fuel Tank Litres	37
Claimed Mileage	17.8 km/l	City Mileage	15.5 km/l
Highway Mileage	20 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Not Officially Disclosed	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Not Officially Disclosed	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	No
AC Type	Automatic	Keyless Entry	Yes
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FRONX GL 2WD 5D 1462p AT full specs and lifecycle details in Uganda

Compare with rivals →

08 Suzuki Fronx — **FRONX GLX 2WD 5D 1462p AT**

UGX 100,000,000

ENGINE 1462 cc	POWER 75 kW · 102 bhp	TORQUE 136 Nm · 101 lb-ft	ECONOMY 17.8 km/l	FUEL Petrol 4-Speed Automatic
-----------------------------	------------------------------------	--	--------------------------------	--

Glx Trim · Petrol · 4-Speed Automatic

View live price & EMI →

ENGINE & PERFORMANCE

Engine	Suzuki petrol engine	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	12.0:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Officially Disclosed	4WD Selector	Not Officially Disclosed
4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Not Officially Disclosed
Transfer Case	Not Officially Disclosed	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Not Officially Disclosed	Gearbox	4-Speed Automatic

DIMENSIONS

Length	3995 mm	Width	1765 mm
Height	1550 mm	Wheelbase	2520 mm
Ground Clearance (Default)	170 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	37 l	Boot/Cargo Space	304 l
Kerb Weight	1065 kg	Gross Vehicle Weight (GVW)	1480 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	600 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	37 l	Fuel Tank Litres	37
Claimed Mileage	17.8 km/l	City Mileage	15.5 km/l
Highway Mileage	20 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Yes	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Yes	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Yes	Push Button Start	Yes
AC Type	Automatic	Keyless Entry	Yes
Power Windows	Not Officially Disclosed	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See FRONX GLX 2WD 5D 1462p AT full specs and lifecycle details in Uganda

Compare with rivals →

09 Explore More on Hagalu

Jump to each variant's price and specification record

→ [FRONX GLX 2WD 5D 1462p MT](#) — UGX 97,000,000

→ [FRONX GL 2WD 5D 1462p 5MT](#) — UGX 92,000,000

→ [FRONX GL 2WD 5D 1462p AT](#) — UGX 95,000,000

→ [FRONX GLX 2WD 5D 1462p AT](#) — UGX 100,000,000

Live Prices & On-Road Costs — Suzuki Fronx

→ Latest ex-showroom and city-wise on-road prices in Uganda.

→ Open

Side-by-Side Comparison

→ Compare Suzuki Fronx vs any rival model.

→ Open

Browse All Suzuki Models

→ Explore the full Suzuki lineup in Uganda.

→ Open

Buyer's Guides — Finance, Pricing & New Launches

→ In-depth SA guides: car finance, monthly EMI math, upcoming launches.

→ Open

Hagalu.com — Africa's Car Research Platform

→ Independent prices, specs and reviews for South Africa and beyond.

→ Open

This brochure was generated on 12 October 2026 by Hagalu Automotive Research. All prices shown are ex-showroom and subject to change without notice. On-road price estimates include typical registration, licence and insurance costs. Specifications are sourced from manufacturer data and may vary by market. Hagalu is an independent platform not affiliated with any automotive manufacturer.

[Terms of Use](#) · [Privacy Policy](#) · [Editorial Policy](#) · [Contact Hagalu](#)