



SUZUKI

Jimny 5-door

Uganda • 2026 Hagalu Buyer's Guide

1462 cc

ENGINE

75 kW

POWER

210 mm

CLEARANCE

13.0 km/l

FUEL ECON

4 seats

SEATING

UGX 132,000,000 – 140,000,000

Ex-Showroom Starting Price

<https://www.hagalu.com/uganda/suzuki/jimny-5-door/>

Independent Automotive Research for Africa

SUZUKI

Contents

01

Overview & Quick Facts

.....

02

Variant Pricing & On-Road Costs

.....

03

Pros, Cons & Buyer Summary

.....

04

Variant Comparison Matrix

.....

05

Full Specs — JIMNY GL 4WD 5D 1462p MT

.....

06

Full Specs — JIMNY GLX 4WD 5D 1462p AT

.....

07

Full Specs — JIMNY GLX 4WD 5D 1462p MT

.....

08

Links & Legal

.....

Source-backed	No rating inferred	3 Variants	3 Priced
---------------	--------------------	------------	----------

01 Overview & Quick Facts

Adding rear doors changes the way a small off-roader can fit into ordinary life. Jimny 5-door lets passengers reach the back seats without moving a front seat, making repeated entry and exit a different proposition from the three-door model. It is still a four-seater. The extra doors improve access; they do not create a centre seat or turn the car into a large family SUV. The body is longer where it matters. Suzuki Uganda's five-door overview gives a 2,590 mm wheelbase and a 3,985 mm overall length, including the rear spare-wheel arrangement. The wheelbase is 340 mm longer than the three-door Jimny's. Some derivative tables repeat dimensions from the shorter body, so those entries cannot define this car. Buyers should compare the actual five-door measurements when checking parking and storage. Underneath, the main Jimny principles remain: a ladder frame, rigid axles with coil springs and part-time four-wheel drive with high and low transfer ranges. Low range provides extra reduction for suitable slow off-road work. It is a functional feature, not a styling package, and the owner needs to understand the...



Body Style	SUV
Generation	Five-door Jimny with 2,590 mm wheelbase and four-seat cabin, distinct from the three-door body's 2,250 mm wheelbase.
Fuel Types	Petrol
OEM Website	https://www.suzuki.ug/en/range/suzuki-uganda/jimny-5-doors

02 Variant Pricing & On-Road Costs

Ex-Showroom Starting Price	UGX 132,000,000 – 140,000,000	3 Listed Variants
----------------------------	--------------------------------------	-------------------

Variant	Fuel	Transmission	Trim	Ex-Showroom
JIMNY GL 4WD 5D 1462p MT	Petrol	5-Speed Manual	Gl	UGX 132,000,000
JIMNY GLX 4WD 5D 1462p AT	Petrol	4-Speed Automatic	GlX	UGX 140,000,000
JIMNY GLX 4WD 5D 1462p MT	Petrol	5-Speed Manual	GlX	UGX 137,000,000

Estimated On-Road Price — JIMNY GL 4WD 5D 1462p MT (Base Variant)

Kampala	UGX 138,280,000
Jinja	UGX 138,430,000
Mbarara	UGX 138,580,000
Gulu	UGX 138,780,000

* Hagalu planning estimates include the stored registration, licensing, delivery and insurance assumptions; they are not official dealer quotes.

03 Pros, Cons & Buyer Summary

● STRENGTHS ✓ Separate rear doors improve passenger and child-restraint access. ✓ Longer wheelbase than the three-door Jimny. ✓ Retains low-range 4WD and ladder-frame construction. ✓ GL and GLX choices include manual and automatic options. ✓ GLX's lighting and cabin equipment are identified locally.	● CONSIDERATIONS ✗ Still only four seats. ✗ Luggage needs checking with all four places occupied. ✗ Longer-wheelbase geometry differs from the three-door off road. ✗ Equipment grades share the same published engine output. ✗ Specialist construction may not suit a buyer whose priorities are mainly road comfort and...
--	---

Buyer Summary

"A more accessible four-seat Jimny, not a five-seat substitute for a conventional family SUV."

The five-door Jimny solves a specific problem well on paper: it gives rear passengers their own doors while keeping the mechanical character that makes Jimny distinctive. That can make it the more suitable body for a small household, provided four seats and the available luggage space are enough. GL versus GLX is mainly an equipment decision, and the automatic should be assessed on the driver's preference and use. The final choice should follow a loaded passenger trial and an understanding of the off-road system, not just enthusiasm for the shape.

City Driving	Rear doors make the school run or a trip with older passengers easier to assess than in the three-door body. Check door opening beside another parked car, restraint installation and the driver's view around the rear spare wheel. The longer body still needs a real parking trial. Compare manual and automatic operation in slow traffic, and test the air-conditioning controls and screen on the actual GL or GLX being quoted.
Highway	Use a representative journey to judge the compromise between specialist 4WD construction and road-going family use. Let rear passengers assess their seats and foot space, and load the luggage that must travel with them. The same 1.5-litre output appears across the local grades, so equipment level does not create extra overtaking power. Fuel planning needs a credible figure for the exact transmission and load, rather than an assumed result from the shorter Jimny.
Off-Road	The five-door model retains low-range 4WD, ladder-frame construction and rigid axles, but its longer wheelbase deserves attention when choosing a line across uneven ground. Clearance below the vehicle is only one part of obstacle assessment. Learn the transfer-system controls and limitations from the handbook and a suitable dealer demonstration. Keep loads within the supplied vehicle's ratings, secure equipment properly and avoid treating a four-wheel-drive badge as permission to attempt an uncertain crossing.
Best For	Jimny 5-door suits a small household or travelling group that needs easier rear access while retaining a compact off-road vehicle. It is worth considering when the three-door model's entry arrangement is inconvenient but a large SUV would be excessive. Buyers requiring five seats or substantial luggage with four occupants should test those needs against alternatives before choosing.

04 Variant Comparison Matrix

All 3 variants of the Suzuki Jimny 5-door side-by-side. Use this to spot the smallest differences quickly — fuel, power, gearbox and price all in one view.

SPEC	JIMNY GL 4WD 5D 1462p MT	JIMNY GLX 4WD 5D 1462p AT	JIMNY GLX 4WD 5D 1462p MT
Price (ex-showroom)	UGX 132,000,000	UGX 140,000,000	UGX 137,000,000
Fuel Type	Petrol	Petrol	Petrol
Transmission	5-Speed Manual	4-Speed Automatic	5-Speed Manual
Trim Level	Gl	Glx	Glx
Engine	1462 cc (1.5L)	1462 cc (1.5L)	1462 cc (1.5L)
Max Power	75 kW (101 bhp)	75 kW (101 bhp)	75 kW (101 bhp)
Max Torque	130 Nm (96 lb-ft)	130 Nm (96 lb-ft)	130 Nm (96 lb-ft)
Drivetrain	4WD	4WD	4WD
Fuel Economy	13.0 km/l	13.0 km/l	13.0 km/l
Seating	4	4	4
Boot Space	211 L	211 L	211 L
Ground Clearance	210 mm	210 mm	210 mm
Kerb Weight	500 kg	500 kg	500 kg

→ [Compare these variants on hagalu.com](#) (published prices, on-road estimates, source-backed specifications and buyer guidance)

05 Suzuki Jimny 5-door — JIMNY GL 4WD 5D
1462p MT

UGX 132,000,000

ENGINE 1462 cc	POWER 75 kW · 101 bhp	TORQUE 130 Nm · 96 lb-ft	ECONOMY 13.0 km/l	FUEL Petrol 5-Speed Manual
-----------------------------	------------------------------------	---------------------------------------	--------------------------------	---

GL Trim · Petrol · 5-Speed Manual

[View live price & EMI →](#)

ENGINE & PERFORMANCE

Engine	1.5-litre K15B petrol engine	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	10.0:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Officially Disclosed
4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time four-wheel drive
Transfer Case	Part-time 4WD with high and low range	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Not Officially Disclosed	Gearbox	5-Speed Manual

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1720 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	500 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	40 l	Fuel Tank Litres	40
Claimed Mileage	13.0 km/l	City Mileage	11.5 km/l
Highway Mileage	14.5 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Yes	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Yes	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Manual	Keyless Entry	Not Officially Disclosed
Power Windows	Front	Climate Control	Manual
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GL 4WD 5D 1462p MT full specs and lifecycle details in Uganda

Compare with rivals →

06 Suzuki Jimny 5-door — JIMNY GLX 4WD 5D

1462p AT

UGX 140,000,000

ENGINE	POWER	TORQUE	ECONOMY	FUEL
1462	75	130	13.0	Petrol
cc	kW · 101 bhp	Nm · 96 lb-ft	km/l	4-Speed Automatic

Glx Trim · Petrol · 4-Speed Automatic

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre K15B petrol engine	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	10.0:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Officially Disclosed	4WD Selector	Not Officially Disclosed
4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time four-wheel drive
Transfer Case	Part-time 4WD with high and low range	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Not Officially Disclosed	Gearbox	4-Speed Automatic

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1720 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	500 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	40 l	Fuel Tank Litres	40
Claimed Mileage	13.0 km/l	City Mileage	11.5 km/l
Highway Mileage	14.5 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Yes	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Yes	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Front	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GLX 4WD 5D 1462p AT full specs and lifecycle details in Uganda

Compare with rivals →

07 Suzuki Jimny 5-door — JIMNY GLX 4WD 5D
1462p MT

UGX 137,000,000

ENGINE 1462 cc	POWER 75 kW · 101 bhp	TORQUE 130 Nm · 96 lb-ft	ECONOMY 13.0 km/l	FUEL Petrol 5-Speed Manual
-----------------------------	------------------------------------	---------------------------------------	--------------------------------	---

Glx Trim · Petrol · 5-Speed Manual

View live price & EMI →

ENGINE & PERFORMANCE

Engine	1.5-litre K15B petrol engine	Engine Code	K15B
Fuel Type	Petrol	Hybrid System	Not Applicable
Engine Displacement	1462 cc	Cylinders	4
Cylinder Layout	Inline	Valves	16
Valves per Cylinder	4	Aspiration	Naturally Aspirated
Fuel System	Multi-Point Injection	Compression Ratio	10.0:1

TRANSMISSION & DRIVETRAIN

Automatic Shift Paddles	Not Applicable	4WD Selector	Not Officially Disclosed
4WD Lo Range	Not Officially Disclosed	4WD Hi Range	Not Officially Disclosed
4WD Engagement	Not Officially Disclosed	Drivetrain	Part-time four-wheel drive
Transfer Case	Part-time 4WD with high and low range	Gear Shift Type	Not Officially Disclosed
Gear Shift Indicator	Not Officially Disclosed	LSD Available	No
Drivetrain Layout	Not Officially Disclosed	Gearbox	5-Speed Manual

DIMENSIONS

Length	3985 mm	Width	1645 mm
Height	1720 mm	Wheelbase	2590 mm
Ground Clearance (Default)	210 mm	Ground Clearance (With Full Seating Load)	150 mm
Fuel Tank Capacity	40 l	Boot/Cargo Space	211 l
Kerb Weight	500 kg	Gross Vehicle Weight (GVW)	1545 kg
Payload Capacity	Not Officially Disclosed kg	Towing Capacity	1300 kg

MILEAGE & EFFICIENCY

Fuel Tank Capacity	40 l	Fuel Tank Litres	40
Claimed Mileage	13.0 km/l	City Mileage	11.5 km/l
Highway Mileage	14.5 km/l	Emission Standard	Euro 5 equivalent
AdBlue Tank Capacity	Not Applicable l	Auto Start Stop	Not Officially Disclosed
Range Real World Mixed	Not Applicable km	Range Real World Highway	Not Applicable km
Electric Consumption	Not Applicable	Combined Driving Range	Not Applicable

SAFETY

EBD	Yes	Engine Immobiliser	Yes
-----	-----	--------------------	-----

Seatbelt Warning All Seats	Yes	Front Parking Sensors	No
Hill Hold	Yes	Passenger Airbag	Yes
Knee Airbag	No	Rear Cross Traffic Alert	No
Hill Start Assist	Yes	Traction Control	Yes
Seatbelt Pretensioners	Yes	Seatbelt Reminder	Yes

COMFORT & CONVENIENCE

Wireless Charging	Not Officially Disclosed	Push Button Start	Not Officially Disclosed
AC Type	Automatic	Keyless Entry	Not Officially Disclosed
Power Windows	Front	Climate Control	Automatic
Rain Sensing Wipers	No	Electric Tailgate	No
Sunroof	No		—

+ 12 more spec categories (Infotainment & Connectivity, Interior, Exterior, Driver Assistance, ...) available on the live model page.

→ See JIMNY GLX 4WD 5D 1462p MT full specs and lifecycle details in Uganda

Compare with rivals →

08 Explore More on Hagalu

Jump to each variant's price and specification record

→ JIMNY GL 4WD 5D 1462p MT — UGX 132,000,000

→ JIMNY GLX 4WD 5D 1462p AT — UGX 140,000,000

→ JIMNY GLX 4WD 5D 1462p MT — UGX 137,000,000

Live Prices & On-Road Costs — Suzuki Jimny 5-door

Latest ex-showroom and city-wise on-road prices in Uganda.

→ Open

Side-by-Side Comparison

Compare Suzuki Jimny 5-door vs any rival model.

→ Open

Browse All Suzuki Models

Explore the full Suzuki lineup in Uganda.

→ Open

Buyer's Guides — Finance, Pricing & New Launches

In-depth SA guides: car finance, monthly EMI math, upcoming launches.

→ Open

Hagalu.com — Africa's Car Research Platform

Independent prices, specs and reviews for South Africa and beyond.

→ Open

This brochure was generated on 12 October 2026 by Hagalu Automotive Research. All prices shown are ex-showroom and subject to change without notice. On-road price estimates include typical registration, licence and insurance costs. Specifications are sourced from manufacturer data and may vary by market. Hagalu is an independent platform not affiliated with any automotive manufacturer.

[Terms of Use](#) · [Privacy Policy](#) · [Editorial Policy](#) · [Contact Hagalu](#)